


CATALOG



Contents:

- Polishing Pads
- Wool Pads
- Backing Plates
- Polishing Compound
- Applicators / Accessories



Legenda: (Rotacja (DA

Legal note:

The information presented in this catalogue does not constitute an offer within the meaning of the Civil Code. The catalogue is published solely for information purposes. Due to the limitations of printing technology, the colours shown in the catalogue may vary from that of actual products.



Honey Combination - European leader in the production of polishing pads on the detailing market



U-SERIES POLISHING PAD





Available sizes:

34/40 mm | 55/70 mm | 80/100 mm | 130/150 mm | 150/180 mm

Cut

Fastening:

Velcro

Applications:

⊆ CAR
WOOD
□ YACHT
⋈ METAL

Made of selected foams for polishing industry. Open cell foam structure (O.C.F. TECHNOLOGY) increases friction and stabilizes temperature at the same time. Relevant thickness and side shape provides safe work in hard-to-reach places.

ALWAYS WEAR SAFETY GLASSES!

Size/hardnesses

Size/hardnesses	White	Orange	Green	Grey
34/40 mm	HU1411	HU1421	HU1431	HU1441
55/70 mm	HU1511	HU1521	HU1531	HU1541
80/100 mm	HU1311	HU1321	HU1331	HU1341
130/150 mm	HU1211	HU1221	HU1231	HU1241
150/170 mm	HU1111	HU1121	HU1131	HU1141



R-DA POLISHING PAD





Available sizes:

125/140 mm | 80/90 mm

Fastening:

Velcro

Applications:

E CAR ■ WOOD A YACHT M METAL

The R-DA polishing pad is designed for use with dual-action polishing machines. Its size and shape gives a high working comfort, and allows to operate smoothly while maintaining accuracy, on both curved and flat surfaces. The hole in the middle of a pad is created for centralizing on a backing plate, as well as providing cooling. Pads are made out of high quality foam and durable Velcro. They are designed to work at high speed and characterised by their extreme durability.

ALWAYS WEAR SAFETY GLASSES!

Size/hardnesses	Blue	White	Orange	Yellow	Red
125/140 mm	GP3401	GP3411	GP3421	GP3431	GP3451
80/90 mm	GP3701	GP3711	GP3721	GP3731	GP3751

Finish

CLASSIC O.C.F POLISHING PAD ()



Available sizes:

150/30 mm | 135/30 mm | 80/30 mm

Cut

Fastening:

Velcro

Applications:

CAR
 WOOD
 YACHT
 METAL
 PLASTIC

Made of selected foams for polishing industry. Open cell foam structure (O.C.F. TECHNOLOGY) increases friction and stabilizes temperature at the same time. Classic shape and velcro distance to the edge provides safe work.

ALWAYS WEAR SAFETY GLASSES!

Size/hardnesses	White	Green	Yellow	Red
150/30 mm	HC1511	HC1521	HC1531	HC1541
135/30 mm	HC1311	HC1321	HC1331	HC1341
80/30 mm	HC0811	HC0821	HC0831	HC0841



CLASSIC POLISHING PAD





Available sizes:

150x25 mm | 135x25 mm | 80x25 mm | 50x25 mm

Cut

Fastening:

Velcro

Applications:

🖺 CAR 🦪 WOOD @ YACHT 🕲 METAL

The HONEY CLASSIC professional buffing pad is characterised by its high quality and performance precision. It is made out of high-quality materials, making it suitable for repeated use.

It is designed for mechanical treatment on automotive paints and coatings of various types, in conjunction with coarse polishing pastes such as HONEY "2". It can be used for both wet and dry applications, with a speed range of between 600 and 2,600 RPM.

ALWAYS WEAR SAFETY GLASSES!

Size/hardnesses	Blue	White	Orange	Yellow	Red	Black
150x25 mm	GC4101	GC4111	GC4121	GC4131	GC4151	GC4141
135x25 mm	GC4301	GC4311	GC4321	GC4331	GC4351	GC4341
B0x25 mm	GC4201	GC4211	GC4221	GC4231	GC4251	GC4241
50x25 mm	GC4501	GC4511	GC4521	GC4531	GC4551	GC4541

EXTREME POLISHING PAD



Available sizes: 150/170 mm | 125/140 mm | 80/100 mm

Fastening:

Velcro

Applications:

🗟 CAR 🥃 WOOD 🕮 YACHT 🗞 METAL

The specially designed surface of the HONEY EXTREME buffing pad gives high cuting power, making it ideal for extremely hard coatings, metal and wood. The dual-layer construction increases the shock absorption between the machine and the pad.

A suitable polish, such as HONEY "2", will help you get the desired result. The pad is designed to work with rotating equipment up to 2,600 RPM.

ALWAYS WEAR SAFETY GLASSES!

Size/ hardnesses	White
150/170 mm	HS1701
125/140 mm	HS1111
80/100 mm	HS0801



Finish

GOLD POLISHING PAD



Available sizes:

150x25 mm

Fastening:

Velcro

Applications:

CAR WOOD

HONEY GOLD is a new pad for car detailing. Its surface consists of octagonal blocks where each edge helps to reduce time taken for the paint to reach ideal condition. It also makes it easier to control the operating temperature and reduce the risk of overheating significantly. There is increased cooling and better heatt ransfer from the paint. The small, independent working surfaces for a polish minimise traces of spin and facilitate precise handling over the entire paint surface.

The **HONEY GOLD** pad provides easier, faster and more comfortable way of achieving the perfect gloss finish, even for the most demanding surfaces.

ALWAYS WEAR SAFETY GLASSES!

Size/hardnesses	Blue	White	Orange	Yellow	Red	Black
150x25 mm	HG 1101	HG 1111	HG 1121	HG 1131	HG 1151	HG 1141

Finish

HILLS POLISHING PAD



Available sizes:

80/25 mm | 150/25 mm

Fastening:

Velcro

Applications:

HONEY HILLS is an innovatively shaped pad, designed specifically for finishing and car detailing. The working surface of the **HONEY HILLS** COMBination pad is covered with small "hills", which serve to retain and distribute polishing paste evenly over the polished item, and prevent excessive splashing. Paste is applied by filling one or more of the voids between the hills.


The HONEY HILLS pad saves time and reduces the consumption of abrasive by holding it within the pad.

ALWAYS WEAR SAFETY GLASSES!

Size/hardnesses	Blue	White	Orange	Yellow	Red	Black
150/25 mm	HH2101	HH2111	HH2121	HH2131	HH2151	HH2141
80/25 mm	HH8001	HH8011	HH8021	HH8031	HH8051	HH8041

Finish

ULTRA CUT WOOL PAD




Available sizes:

75x80 mm | 130x150 mm | 150x170 mm

Cut



Velcro



🖺 CAR 🕝 WOOD 🕮 YACHT 🕲 METAL 🏙 STONE 🛡 GLASS 📵 PLASTIC

Cutting pad made of high quality wool. It's structure is 50% natural wool and 50% synthetic. The combination of these two fibers eliminates the clogging of the pad and ensures that its structure is maintained for a long time.

The top of the pad is orange rubber, which minimizes vibrations during work. The hole used in the middle gives better cooling during work and also makes it easier to evenly apply the pad on the backing plate.

High cutting power thanks to 50% natural wool in the structure. 40% less matte effect during cutting thanks to 50% synthetic wool in the structure.

Sizes/ Fastening	Velcro
75/85 mm	UC7580
125/135 mm	UC1315
150x160 mm	UC1517

SHORT WOOL PAD




Available sizes:

75x80 mm | 130x150 mm | 150x170 mm

Cut

Fastening:

Velcro





Honey Combination **SHORT WOOL PAD** – A polishing pad made in 100% of natural wool, open-cell foam (O.C.F) and a rubber interface, which reduces vibrations. The pad is designed for Dual Action machines. Product dedicated to the first step of polishing.

Advantages of the product:

- v natural fibre
- easy to clean
- very durable
- ✓ a low temperature of polishing thanks to the usage of O.C.F technology

Sizes/ Fastening	Velcro
75/85 mm	UC7580
125/135 mm	UC1315
150x160 mm	UC1517



2 FACE FIBER



Available sizes:

80x80 mm | 135x150 mm | 160x170 mm

Cut

Fastening:

Velcro





New microfiber pad created for one step.

2 FACE FIBER has microfiber in two colours:

- white aggressive
- black for finish.

20 % shorter fibers don't allow for clogging of the pad and cleaning is faster and easy.

The combination of cutting and polishing fibers in one product allows us to use one pad for various steps, like cutting and then polishing.

The pad works perfectly with HONEY Polishing Compound 2.

Sizes/ Fastening 80 mm 135 mm 160 mm

MICROFIBER PAD



Available sizes:

75x80 mm | 125x135 mm | 150x160 mm

Cut

Fastening:

Velcro

Applications:


Thick microfiber braid placed on hard base is created for polishing deep scratches with highly abrasive polishes.

Thin microfiber braid placed on soft base is created for final polishing high-gloss effect. Both are designed to work with Dual Action machines. Side shape provides safe work in hard-to-reach places.

White - hard(cuting)
1 microfiber = 144 nano microfiber
Black- soft(finishing)

1 microfiber = 128 nano microfiber

Sizes/ Pastering	144 nano microfiber	128 nano microfiber
75x80 mm	PMT7580	PMM7580
125x135 mm	PMT2535	PMM2535
150x160 mm	PMT1516	PMM1516





Available sizes:

80 mm | 135 mm | 160 mm

Fastening:

Velcro



Applications:

ECAR

WOOD

YACHT

METAL

STONE

GLASS

PLASTIC

The BEAST – extremely aggressive polishing pad. Build in 100% of synthetic fiber but with a unique composition and structure, different from standard microfibers. It combines two types of short synthetic fibers – white and blue, thanks to them, despite huge cutting power it leaves a faultless finish. The BEAST is the heaviest pad in Honey Combination offer, only comparable with Ultra Cut Wool Pad – however, the significantly shorter fibers and different structure of the pad transfer to greater cleanliness during work and maintaining the compound longer on the working surface of the pad.

Size/ Fastening	Velcro
80 mm	GB 8000
135 mm	GB1350
160 mm	GB1600



Finish

POLISHING COMPOUNDS



Available capacity

1 kg | 0,5 kg | 0,25 kg

- Applications:
 - ☐ CAR
 ☐ WOOD
 ☐ YACHT
 ☐ METAL
 ☐ STONE
 ☐ GLASS
- 1+ Hard Cutting Compound with unbreakable grain. The best solution for the hardest clear coats. Hard and consistent grain leaves a poor finish effect. Contains NO wax and silicone.
- 1 Cutting Compound for most paints usage. Due to its unique formula it eliminates even thick scratches leaving acceptable finish effect. Water based polish. Contains NO wax and silicone.
- 2 Polishing Compound with reduced cutting power for great finish effect. The perfect solution for the correction after ONE STEP stage or as Polishing step for full pain correction. Water based polish. Contains NO wax and silicone.
- 3 Finishing Compound dedicated to hard paints. Perfect for removing tarnished surfaces, holograms and small paint defects, making the perfect finish effect. Water based polish. Contains NO wax and silicone.
- 3+ Light Finishing Compound Anti-Holo type. It the only function is to make perfect and flawless surface. Dedicated to softer paints where achieving perfect finish effect is very difficult. Water based polish. Contains NO wax and silicone.

Available contail	ner sizes:					
0,25 kg	HP 021+	HP 021	HP 022	HP 023	HP 023+	
0,5 kg	HP 051+	HP 051	HP 052	HP 053	HP 053+	
1 kg	HP 101+	HP 101	HP 102	HP 103	HP 103+	

ELASTIC BACKING PLATE





Available sizes:

30x10 mm | 50x10 mm | 75x25 mm | 125x25 mm | 150x25 mm

Fastening:

M14

Applications:

B CAR ■ WOOD ■ YACHT ® METAL # STONE 🖫 GLASS

A robust, flexible disc with specially selected foam, for buffing pad or sandpaper use. The FLEXIBLE Backing Plate and a buffing pad are the perfect combination for a wide range of polished surfaces, reducing the risk of overheating and paint damage. The disc's special design uses a high-quality white foam that allows to pressure evenly from all sides. This lets you to regulate operating temperature of the buffing pad.

The disc is attached to rotating equipment, using an M14 thread.

ALWAYS WEAR SAFETY GLASSES!

Size/ Fastening	M14
75x25 mm	EE 0750
125x25 mm	EE 1250
150x25 mm	EE 1500

SANDWICH BACKING PLATE



Available sizes:

75x20 mm | 125x20 mm | 150x20 mm

Fastening:

M14


- Applications:
 - © CAR ■ WOOD ■ YACHT ■ METAL ■ STONE ☐ GLASS

New technology of SANDWICH back-up pad with innovative construction 3D rubber-foam-rubber. Pressure smooth out through all surface which helps to avoid potential damages during polishing.

ALWAYS WEAR SAFETY GLASSES!

Size/ Fastening	M14
75x20 mm	ED 7520
125x20 mm	ED 1220
150x20 mm	ED 1520

HONEY INTERFACE PAD




- Available sizes:
 - 150x10 mm
- Fastening:

A very high quality interface pad using strong, durable Velcro, open-cell foam and specially selected velour, which allows you to work with a high degree of precision. The structure, hole pattern and specially selected adhesive increase the service life in a dusty environment, as well as increasing the tensile and shear strength by 10%. The pad is also highly resistant to temperature fluctuations in a short work term. The interface pad is a key element in the precision grinding process, using abrasive papers of different coarseness.

ALWAYS WEAR SAFETY GLASSES!

Size/ Fastening	Velor/Velcro
150x10 mm	HI 1010

CONE POLISHING PAD



Available sizes:

85x30 mm | 50x30 mm

Cut

Fastening:

Pin / M14

Applications:

🖺 CAR 🥏 WOOD 🕮 YACHT 🕲 METAL 🏽 STONE 🛡 GLASS 🖺 PLASTIC

A cone-shaped buffing pad for hard-to-reach places. The pad is made from specially selected high quality foam. Its shape lets you access hard-to-reach places from different angles, giving versatile and universal application.


Suitable for polishing items such as alloy wheels, door recesses, pillars, boot profile recesses, silencers and bumper halogen profiles.

The cone is a durable product, designed for repeated use.

Fits any rotating equipment with a standard chuck. Up to 2,000 RPM.

Size/hardnesses	Blue	Yellow
85x30 mm	GP3603	GP3633
50x30 mm	GP3903	GP3933

APPLICATOR MULTICOLOR



 $\label{lem:Applicator Honey COMBination 3 colours. Made of 2 polishing foams and one intermediate foam.$

Yellow, hard foam is used for polishing of the surface with light abrasive compounds. Black foam is used for the final touch of the surface with finishing compounds and for the application of wax.



EXHIBIT YOUR PRODUCTS!

Do you wantt o exhibit your products?

We provide our distributors possibility to order special stands which enable to display polishing materials so as to attract potential customers.

If you are interested in a better exposition of your products, ask your local sales manager about HONEY COMBination display stand.

Created H Detailing

HARDNESS TABLE





Adress:

Honey Polska Michał Urban

ul. Fiołkowa 9 55-300 Środa Ślaska

Honey Polska

Kamil Drapiński T: + 48 508 573 466

E: kamil@honey4detailing.com

Export Manager

Dawid Makówka T: +48 509 213 665

E: dawid@honey4detailing.com

Your dealer:

www.honey4detailing.com





